

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION III 1650 Arch Street Philadelphia, Pennsylvania 19103-2029

VIA UPS

DEC 1 5 2015

Docket Number: R3-16-NOV-RCRA-006

Tim Johnson Branch Manager Safety Kleen Systems, Inc. 10 Industrial Park Drive Wheeling, WV 26003

Re: Notice of Violation Withdraw

Compliance Evaluation Inspection

August 10-11, 2015

EPA ID No. WVD981034101

Dear Mr. Johnson,

On December 8, 2015, the U.S. Environmental Protection Agency, Region III ("EPA") issued a Notice of Violation ("NOV") to Safety Kleen Systems, Inc. (the Facility) located in Wheeling West Virginia in regards to the Compliance Evaluation Inspection ("CEI") that occurred on August 10-11, 2015. The NOV addressed an incomplete Preparedness, Prevention, and Contingency Plan ("CP").

Upon receiving and reviewing documentation you sent on December 10, 2015 by email it has been determined that The Facility was not in violation of the CP provisions at the time of inspection. The documentation showed a list of all emergency equipment at the facility and provide the location as well as the physical description of each item along with a brief description of its capabilities. The Facility's CP was updated in November of 2013 and contained all required elements of 40 CFR 265 Subpart D at that time.

Thank you for following up with the EPA in a timely manner after receiving the NOV and providing documentation regarding the Facility's CP. The EPA is hereby withdrawing NOV: R3-16-NOV-RCRA-006.

If you have any questions or concerns, please feel free to contact the EPA. Any response to this matter can be addressed to:

Stephen Forostiak Office of Land Enforcement EPA Region III - 3LC70 1650 Arch Street Philadelphia, PA 19103-2029 Phone: 215/814-2136 forostiak.stephen@epa.gov

Sincerely,

Carol Amend, Associate Director Land and Chemicals Division

Office of Land Enforcement

Date Dec 14, 2015